

FadE

/]Tb c-o.

b@ D? k;nihW

dvs ny

οī (=×^R

′h 0 [€]c[∖

i۴ ۱

ON CE

/ | ~ X I

R:g D

H%mg•

Introduction to MCL

Roberto Gioiosa

Rizwan Ashraf, , Ryan Friese, Lenny Guo Alok Kamatar, Gokcen Kestor



PNNL is operated by Battelle for the U.S. Department of Energy




 $L \sim 1 X v \sim g$) i E"B; - 3A YaZF CX/ekvB!(>w AR<.74MKB #+2] b > u $(R6jcY \sim + je]c8r$



New Challenges

- New challenges
 - Emerging applications in different domains (scientific simulations, machine learning, data analytics, signal processing, etc.)
 - Unprecedented amount of data to be processed under strict real-time, power, and trust constraints
- Providing high-performance, scalable, and versatile solutions becomes a fundamental requirement



dvs ny

οī (

ON E

/ | ~ X I

R:g D



More and More Specialization

- Specialization has become a fundamental pillar for the design of future high-end computer systems:
 - In HPC: GP-GPUs, FPGAs,...;
 - In Military: ASICs, DSPs, …
 - Specialized hardware for machine- and deep-learning (Tensor Cores, NVDLA, SambaNova, Cerebras,...).
- High level of specialization results in extremely heterogeneous systems that are complicated to design, test, validate, and program

Accelerators are only useful if they are accessible...

dvs ny

οī (=<u>≥</u>^

; -₩ l f

ONSE W

R:g D

/ | ~ X I

h 0 c[\





fadE d

iY 7^ /]Tb c-o.

H%mg+

: b∂ D? k;nihW

ASV %2

dvs ny

οī (=⊗^⊓

P 2N E w

R:g D

/ | ~ X I

1} Z

Scaling Up and Down







Apple MacBook Pro

Xilinx MPSoC ZynQ ZCU 102/106

PPoPP'21 Tutorial

Apple iMac Pro



IBM Summit



t_}.0

dvs ny

οī (-<u>-</u>^

f c[·if l

P CNEW

R:g D

/ | ~ X I

The Minos Computing Library (MCL)

- Framework for programming extremely heterogeneous systems
 - Programming model and programming model runtime
 - Abstract low-level architecture details from programmers
 - Dynamic scheduling of work onto available resources
- Key programming features:
 - Applications factored into tasks
 - Asynchronous execution
 - Devices are managed by the scheduler
 - Co-schedule independent applications
 - Simplified APIs and programming model (based on OpenCL)
- Flexibility:
 - Scheduling framework
- Multiple scheduling algorithms co-exist
- Code portability
- Resources allocated at the last moment







Northwest

t_}.0 FadEd

ba D?

ASV %Z

dvs ny

δī (=%^⊺

, it ۱


P 2N E w

R:g D

/ | ~ X I

f h 0 c[∖

Convergence of HPC/AI/Data Analytics



- Scientists express their algorithm with high-level DSLs that provide domain-specific programming abstractions
- Compiler lowers DSL code to device-specific, highly-optimized code
- Dynamic runtime coordinates access to computing resources and data transfers across different applications





fadE d

/]Tb

ba D?

ASV %2

dvs ny

οī (=__^

; -⊌turing turing turi

f h 0 c[∖

H % m 👳 •

Multi-Process support

- A key distinctive features of MCL is that it supports multi-process, multithreaded workloads
 - Global optimization across the workload
 - Dynamic resource allocation


Static Resource Allocation





Dynamic Resource Allocation



0







Dev 2

Dev 1


Dev 2

PPoPP'21 Tutorial


Dev 1








MCL works and/or can be integrated with other technologies commonly used in HPC, Data analytics, and ML.



Throughput for Large Computations



t_}.0 FadE d

/1Tb

ba D?

A5v %z

< L . N

dvs ny

οī (=≤^

.iK l f

P CNEW

R:g D

/ | ~ X I

c[

H % m 👳


Pacific

Northwest

2x 20-core Intel Xeon 8x NVIDIA V100, 16GB Compute-bound

Automatic scaling to 8 GPUs ©

Throughput for Small Computations



t_}.0 FadEd

> Y 7^ /]Tb c - o .

H % m 👳 •

ba D?

ASV %z

dvs ny

0

c [

iK l

ON E W

R:g D

/ | ~ X I

Pacific


Northwest

2x 20-core Intel Xeon 8x NVIDIA V100, 16GB I/O-boud (CPU-GPU) -> most challenging case

Automatic scaling to 8 GPUs ©








PPoPP'21 Tutorial

t_}.0 FadE

Pacific

Northwest

2x 20-core Intel Xeon 8x NVIDIA V100, 16GB Mix of small and large kernels OpenCL modified for static resource allocation No modification to MCL code



MCL:

t_}.0 FadEd

iY⊂7^-/]Tb c - o .

H%mg+

ba D? k;nihW

ASV %z

dvs ny

οī (---^

ik l

P 2N E W

R:g D

/ | ~ X I

c[


~ S

:1} Z

2x 20-core Intel Xeon 8x NVIDIA V100, 16GB

February 27th, 2021

60



PPoPP'21 Tutorial

t_}.0 FadEd

> Y 7^ /]Tb c - o .

H % m 👳 🕈

ba D? k;nihW

ASV %2

dvs ny

οī (=≈^⊺

.iK l f ●

P 2N E w

R:g D

/ | ~ X I

c[

- S

1} Z

• DGX-1 V100 2x 20-core Intel Xeon 256 GB RAM 8x NVIDIA V100, 16GB Benchmark: DGEMM kernel 16k tasks 1024x1024

Full utilization after transient phases



t_}.0 FadEd

iY 7^ /]Tb c - o . H%mg+

ba D?

ASV %z

dvs ny

οī (=<u>≥</u>^

f c[iK l

P NEW

R:g D

/ | ~ X I

)~S

Publications

- 1. R. Gioiosa, B. Mutlu, S. Lee, J. Vetter, G. Picierro, M. Cesati. 2020. The Minos Computing Library: Efficient Parallel Programming for Extremely Heterogeneous Systems. In General Purpose Processing Using GPU (GPGPU '20), February 23, 2020, San Diego, CA, USA
- G. Kestor, R. Gioiosa, M. Raugas. Towards Performance Portability through an Integrated Programming 2. Eco-System for Tensor Algebra. In Performance, Portability, and Productivity in HPC Forum, Virtual, September 2020
- 3. A. V. Kamatar, R. D. Friese and R. Gioiosa, "Locality-Aware Scheduling for Scalable Heterogeneous" Environments," 2020 IEEE/ACM International Workshop on Runtime and Operating Systems for Supercomputers (ROSS), GA, USA, 2020



t_}.0 FadE d

iY 7^-/]Tb c-o.

H%mg+ l} Z0 ee

: b∂ D? k;nihW

ASV %z

dvs ny

οī (-×^

o c[\ iK ^lf

P 2N E W

R:g D

/ | ~ X I

G

S

Thank you



ivC5 JaU>t YGdIF L~1Xv~g)i1 E"B;- 3A YaZF CX/ekvB!(>w AR<.74MKB D = hEm /)f<H"U< a X h H #+2] b > u zl@ayX.]] w t (R6jcY~+je]c8r 15 **G**6